INDEX TO AUTHORS

Brackets indicate a senior author's professional history

A

ACKERMAN, G. ADOLPH. Histochemical demonstration of dehydrogenase activity in the cells of normal human blood and bone marrow, 61

AFZELIUS, ULLA F. See SHELDON and ROBINSON, 151

ALBERSHEIM, P., MÜHLETHALER, K., and FREY-WYSSLING, A. Stained pectin as seen in the electron microscope, [572] 501

ALLEN, R. D. The consistency of ameba cytoplasm and its bearing on the mechanism of ameboid movement. II. The effects of centrifugal acceleration observed in the centrifuge microscope, 379

ALMEIDA, J. D. See HOWATSON and ALMEIDA, 828

ANDERSON, E. See BEAMS, TAHMISIAN, ANDERSON, and DEVINE, 793

ARONSON, JEROME M., and PRESTON, R. D. The microfibrillar structure of the cell walls of the filamentous fungus, *Allomyces*, [297] 247

B

BALL, ERIC G. See BARRNETT and BALL, 83

BARRNETT, RUSSELL J., and BALL, ERIC G. Metabolic and ultrastructural changes induced in adipose tissue by insulin, 83

BEAMS, H. W., TAHMISIAN, T. N., ANDERSON, E., and DEVINE, R. Studies on the fine structure of ultracentrifuged spinal ganglion cells, [844] 793

BECKER, N. H., GOLDFISCHER, S., SHIN, W.-Y., and NOVIKOFF, A. B. The localization of enzyme activities in the rat brain, 649

BESSIS, M., and NOMARSKI, G. Irradiation ultraviolette des organites cellulaires avec observation continue en contraste de phase, 777

BLOCH, DAVID P., and HEW, HOWARD Y. C. Changes in nuclear histones during fertilization, and early embryonic development in the pulmonate snail, *Helix aspersa*, 69

BRANDT, P. W., and PAPPAS, G. D. An electron microscopic study of pinocytosis in ameba. I. The surface attachment phase, 675

BULLIVANT, S. The staining of thin sections of mouse pancreas prepared by the Fernández-Morán Helium II freeze-substitution method, [844] 639

BURGE, R. E., AND SILVESTER, N. R. The measurement of mass, thickness, and density in the electron microscope, 1

C

CAUNA, N., and ROSS, L. L. The fine structure of Meissner's touch corpuscles of human fingers, 467

CHAPMAN-ANDRESEN, CICILY, and HOLTZER, HOWARD. The uptake of fluorescent albumin by pinocytosis in *Amoeba proteus*, 288

COX, J. See KARRER, 135

D

DANIELS, E. W. See ROTH, OBETZ, and DANIELS, 207

DARDEN, E. B., Jr. See PARSONS and DARDEN, 834

DEVINE, R. See BEAMS, TAHMISIAN, ANDERSON, and DEVINE, 793

DIETRICH, F. M. See HESS and DIETRICH, 546

DROCHMANS, P. Electron microscope studies of epidermal melanocytes, and the fine structure of melanin granules, 165

—. Mise en évidence du glycogène dans la cellule hépatique par microscopie electronique, 553

E

EAKIN, R. M., and WESTFALL, J. A. Further observations on the fine structure of the parietal eye of lizards, [572] 483

EDSTRÖM, JAN-ERIK. Composition of ribonucleic acid from various parts of spider oocytes, [298] 47

—. Extraction, hydrolysis, and electrophoretic analysis of ribonucleic acid from microscopic tissue units (microphoresis), 39

EDSTRÖM, JAN-ERIK, and PILHAGE, LENNART. A constant humidity chamber for microphoresis, 44

EDWARDS, G. A. See GRIMLEY and EDWARDS, 305

F

FALK, G. J. See KING and FALK, 550

FASMAN, G. D. See KARNOVSKY and FASMAN, 319

FAWCETT, D. W. See REVEL, NAPOLITANO, and FAWCETT, 575

FINEAN, J. B. Electron microscope and x-ray diffraction studies of the effects of dehydration on the structure of nerve myelin. I. Peripheral nerve, 13

—. —. II. Optic nerve, 31

FINGER, I., KABACK, M., KITTNER, P., and HELLER, C. Immunological studies of isolated particulates of *Paramecium aurelia*. I. Antigenic relationships between cytoplasmic organelles and evidence for mitochondrial variations as demonstrated by gel diffusion, [843] 591

FIORENTINO, EILEEN. See ROTH, 665

FITZ-JAMES, P. C. Participation of the cytoplasmic membrane in the growth and spore formation of bacilli, 507

FREY-WYSSLING, A. See ALBERSHEIM, MÜHLETHALER, and FREY-WYSSLING, 501

G

GAMBLE, CHARLES N., and GLICK, DAVID. Studies in histochemistry. LVII. Determination of the total dry mass of human erythrocytes by interference microscopy and x-ray microradiography, [298] 53

GLAUERT, A M. See HOPWOOD and GLAUERT, 257, 267, 813

GLICK, DAVID. See GAMBLE and GLICK, 53

GODMAN, G. C., and PORTER, K. R. Chondrogenesis, studied with the electron microscope, 719

GOLDFISCHER, S. See BECKER, GOLDFISCHER, SHIN, AND NOVIKOFF, 649

GRAY, E. G. Regular organization of material in certain mitochondria of neuroglia of lizard brain, [298] 282

GRIMLEY, P. M., and EDWARDS, G. A. The ultrastructure of cardiac desmosomes in the toad and their relationship to the intercalated disc, [571] 305

H

HADEK, R., and SWIFT, H. A crystalloid inclusion in the rabbit blastocysts, (845) 836

HAGER, H. See NELSON, HAGER, and KOVÁCS, 825

HELLER, C. See FINGER, KABACK, KITTNER, and HELLER, 591

HENRY, ELEANOR. See ROTH, 665

HERRMANN, H. See KONIGSBERG, MCELVAIN, TOOTLE, and HERRMANN, 333

HESS, R., and DIETRICH, F. M. Cytochemical localization of dehydrogenase and diaphorase activity in *Bacillus megaterium*, [573] 546

HEW, HOWARD Y. C. See BLOCH and HEW, 69

HIRAOKA, TOSISUKE. Electrophoretic analysis of colored product produced by Schiff-formaldehyde reaction, [298] 286

HOLTZER, HOWARD. See CHAPMAN-ANDRESEN and HOLTZER, 288

HOPWOOD, DAVID A., and GLAUERT, A. M. The fine structure of the nuclear material of a blue-green alga, *Anabaena cylindrica* Lemm., [844] 813

—and—. The fine structure of *Streptomyces coelicolor*. II. The nuclear material, 267

—and—. Observations on the chromatinic bodies of *Streptomyces coelicolor*, 257

HOWATSON, A. F., and ALMEIDA, J. D. Observation on the fine structure of polyoma virus, 828

K

KABACK, M. See FINGER, KABACK, KITTNER, and HELLER, 591

KARNOVSKY, M. J., and FASMAN, G. D. A histochemical method for distinguishing between side-chain and terminal (Alpha-acylamido) carboxyl groups of proteins, 319

KARRER, H. E. The striated musculature of blood vessels. II. Cell interconnections and cell surface, 135

KING, R. C., and FALK, G. J. *In vitro* incorporation of uridine-H^3 into developing fruit fly oocytes, [573] 550

KITTNER, P. See FINGER, KABACK, KITTNER, and HELLER, 591

KLEIN, S. The effect of low temperature on the development of the lamellar system in chloroplasts, 529

KLINGER, H. P., and SCHWARZACHER, H. G. The sex chromatin and heterochromatic bodies in human diploid and polyploid nuclei, [574] 345

KONIGSBERG, I. R., MCELVAIN, N., TOOTLE, M., and HERRMANN, H. The dissociability of deoxyribonucleic acid synthesis from the development of multinuclearity of muscle cells in culture, [571] 333

KOVÁCS, E. See NELSON, HAGER, and KOVÁCS, 825

L

LEECH, JAMES H. See WHALEY, MOLLENHAUER, and LEECH, 233

LITTAU, VIRGINIA C. See SMITH and LITTAU, 103

M

MANTON, IRENE. On a reticular derivative from Golgi bodies in the meristem of *Anthoceros*, 221

MCELVAIN, N. See KONIGSBERG, MCELVAIN, TOOTLE, and HERRMANN, 333

MCMASTER-KAYE, R. The metabolic characteristics of nucleolar, chromosomal, and cytoplasmic ribonucleic acid of *Drosophila* salivary glands, 365

MILLER, F. Hemoglobin absorption by the cells of the proximal convoluted tubule in mouse kidney, 689

MOLLENHAUER, HILTON H., and ZEBRUN, W. Permanganate fixation of the Golgi complex and other cytoplasmic structures of mammalian testes, 761

—. See WHALEY, MOLLENHAUER, and LEECH, 233

MÜHLETHALER, K. See ALBERSHEIM, MÜHLETHALER, and FREY-WYSSLING, 501

MUNDEN, H. R. A set of collets for manipulating the specimen holder of the Siemens electron microscope, 541

N

NAPOLITANO, L. See REVEL, NAPOLITANO, and FAWCETT, 575

NELSON, E., HAGER, H., and KOVÁCS, E. Intracellular virus crystals in the CNS of mice following rodent polioencephalitis (MM strain) infection, [845] 825

NEVILLE, D. M., Jr. The isolation of a cell membrane fraction from rat liver, [572] 413

NIEMI, MIKKO, and PEARSE, A. G. E. The relationship of the mitochondria to egg white absorption droplets in rat kidney, [298] 279

NOMARSKI, G. See BESSIS and NOMARSKI, 777

NOVIKOFF, A. B. See STEINERT and NOVIKOFF, 563

—. See BECKER, GOLDFISCHER, SHIN, and NOVIKOFF, 649

NÚÑEZ-MONTIEL, O., and WEIBEL, J. Electron microscope study of ECHO 19 virus infection in monkey kidney cells, [299] 291

O

OBETZ, S. W. See ROTH, OBETZ, and DANIELS, 207

P

PAPPAS, G. D. See BRANDT and PAPPAS, 675
PARSONS, D. F., and DARDEN, E. B., Jr. A technique for the simultaneous dirt-free lead staining of several electron microscope grids of thin sections, [845] 834
PEARSE, A. G. E. See NIEMI and PEARSE, 279
PETERS, A. The formation and structure of myelin sheaths in the central nervous system, 431
PILHAGE, LENNART. See EDSTRÖM and PILHAGE, 44
POMERAT, C. M. See ROSE and POMERAT, 423
PORTER, KEITH R., and YAMADA, EICHI. Studies on the endoplasmic reticulum. V. Its form and differentiation in pigment epithelial cells of the frog retina, 181
—. See GODMAN and PORTER, 719
PRESTON, R. D. See ARONSON and PRESTON, 247

Q

QUASTLER, H. See WIMBER, QUASTLER, STEIN, and WIMBER, 327

R

REVEL, J. P., NAPOLITANO, L., and FAWCETT, D. W. Identification of glycogen in electron micrographs of thin tissue sections, [843] 575
ROBINSON, ROBERT A. See SHELDON and ROBINSON, 151
ROSE, G. G., and POMERAT, C. M. Phase contrast observations of the endoplasmic reticulum in living tissue cultures, 423
ROSS, L. L. See CAUNA and ROSS, 467
ROTH, J. S. Studies on the function of intracellular ribonucleases. III. The relationship of the ribonuclease activity of rat liver microsomes to their biological activity, 665
ROTH, L. E., OBETZ, S. W., AND DANIELS, E. W. Electron microscopic studies of mitosis in amebae. I. *Amoeba proteus*, 207
RYTER, A. Étude au microscope electronique des transformations nucleaires de *E. coli* K12 S et K12 S (λ26) après irridation aux rayons ultraviolets et aux rayons x, [571] 399

S

SAKAI, H. Studies on sulfhydryl groups during cell division of sea urchin egg. II. Mass isolation of the egg cortex and change in its —SH groups during cell division, [844] 603
—. III. —SH groups of KCl-soluble proteins and their change during cleavage, 609
SCHWARZACHER, H. G. See KLINGER and SCHWARZACHER, 345
SENO, S., and YOSHIZAWA, K. Electron microscope observations of frozen-dried cells, [844] 617
SHELDON, HUNTINGTON, and ROBINSON, ROBERT A. Studies on cartilage. II. Electron microscope observations on rabbit ear cartilage following the administration of papain, [297] 151
SHIN, W.-Y. See BECKER, GOLDFISCHER, SHIN, and NOVIKOFF, 649
SILVESTER, N. R. See BURGE and SILVESTER, 1
SMITH, DAVID S. Innervation of the fibrillar flight muscle of an insect: *Tenebrio molitor* (Coleoptera), [572] 447
—. and LITTAU, VIRGINIA C. Cellular specialization in the excretory epithelia of an insect, *Macrosteles fascifrons Stål* (Homoptera), 103
STEIN, O. L. See WIMBER, QUASTLER, STEIN, and WIMBER, 327
STEINERT, M. Mitochondria associated with the kinetonucleus of *Trypanosoma mega*, [573] 542
—. and NOVIKOFF, A. B. The existence of a cytostome and the occurrence of pinocytosis in the trypanosome, *Trypanosoma mega*, 563
SWIFT, H. See HADEK and SWIFT, 836

T

TAHMISIAN, T. N. See BEAMS, TAHMISIAN, ANDERSON, and DEVINE, 793
TOOTLE, M. See KONIGSBERG, MCELVAIN, TOOTLE, and HERRMANN, 333

W

WEIBEL, J. See NÚÑEZ-MONTIEL and WEIBEL, 291
WESTFALL, J. A. See EAKIN and WESTFALL, 483
WHALEY, W. GORDON, MOLLENHAUER, HILTON H., and LEECH, JAMES H. Some observations on the nuclear envelope, 233
WIMBER, D. E., QUASTLER, H., STEIN, O. L., and WIMBER, D. R. Analysis of tritium incorporation into individual cells by autoradiography of squash preparations, 327
WIMBER, D. R. See WIMBER, QUASTLER, STEIN, and WIMBER, [571] 327
WISCHNITZER, S. Observations on the annulate lamellae of immature amphibian oocytes, [573] 558

Y

YAMADA, EICHI. See PORTER and YAMADA, 181
YOSHIZAWA, K. See SENO and YOSHIZAWA, 617

Z

ZEBRUN, W. See MOLLENHAUER and ZEBRUN, 761

INDEX TO SUBJECTS

A

Absorption droplets of proteins, relationship to mitochondria, in rat kidney, 279
Algae, blue-green (*Anabaena cylindrica Lemm.*), fine structure of nuclear material, 813
Amebae, mechanism of movement, relationship of consistency of cytoplasm to, 379
—, mitosis in, electron microscopic studies, 207
—, pinocytosis in, surface attachment phase, 675
Amoeba proteus, uptake of fluorescent albumin by pinocytosis in, 288

Animals and Plants

Beetle, 447
Cat, 165
Chick, 333
Frog, 13, 181
Fruit fly, 365, 550
Leafhopper, 103
Liverwort, 221
Lizard, 282, 483
Man, 53, 61, 165, 345, 467
Monkey, 291
Mouse, 135, 639, 825
Rabbit, 151, 689
Rat, 31, 83, 279, 413, 431, 553, 649, 665
Sea urchin, 603, 609
Snail, 69
Spider, 47
Tadpole, 431
Toad, 305
Zea mays, 529

Antigenic relationships between cytoplasmic organelles and evidence for mitochondrial variations, 591
Autoradiography of squash preparations to analyze tritium incorporation into individual cells, 327

B

Bacilli, growth and spore formation, role of cytoplasmic membrane in, 507
Blastocyst, in rabbit, crystalloid inclusion in, 836
Blood, and bone marrow, in man, dehydrogenase activity in cells of, 61
—, hemoglobin absorption by cells of proximal convoluted tubule, 689
— vessels, thoracic and pulmonic veins of mouse, striated musculature of, 135
Brain, enzyme activities in, localization of, 649
—, of lizard, regular organization of material in certain mitochondria of neuroglia of, 282

C

Carboxyls of proteins, method of distinguishing side-chain from C terminal groups, 319
Cartilage, genesis of, studied with EM, 719
—, in rabbit ear, after administration of papain, 151
Cell interconnections and surface, in striated musculature of blood vessels in the mouse, 135
— membrane fractions, isolation from rat liver, 413
— organelles, irradiated with ultraviolet, continuous phase contrast observation of, 777
— walls in filamentous fungus, *Allomyces*, microfibrillar structure of, 247
Cells, frozen-dried, electron microscope observations of, 617
—, living, containing endoplasmic reticulum, phase contrast microscopy of human cells from tissue cultures, 423
—, Meissner's touch corpuscles in human fingers, fine structure of, 467
—, of blood and bone marrow in man, dehydrogenase activity demonstrated in, 61
—, young plant, distribution of pectin within, 501
Cellular and matrix components of cartilage in rabbit ear, after administration of papain, seen in EM, 151
— specialization in the excretory epithelia of an insect (Homoptera), 103
Centrifuge microscope, used to study effects of angular acceleration on consistency of ameba cytoplasm, 379
Chloroplasts, lamellar system in, effect of low temperature on development of, 529
Chondrogenesis, studied with EM, 719
Chromatin and heterochromatic bodies in human diploid and polyploid nuclei, 345
Chromatinic bodies of *Streptomyces coelicolor*, 257
Cytoplasm, consistency of and bearing on mechanism of movement in amebae, 379
— of bacteria, localization of oxidative activity in, 546
Cytoplasmic organelles, relationships and variations, demonstrated by gel diffusion in isolated particulates of *Paramecium aurelia*, 591
Cytostome, existence of, and occurrence of pinocytosis in *Trypanosoma mega*, 563

D

Dehydrogenase activity in cells of normal human blood and bone marrow, 61
— and diaphorase activity localized cytochemically in *B. megaterium*, 546
Desmosomes, and intercalated discs in toad heart, ultrastructure and relationship, 305
Dictyosomes. See Golgi bodies.

DNA content of sex chromatin or heterochromatic bodies, determinations and comparisons, 345
— synthesis, dissociability from development of multinuclearity in cultured muscle cells, 333

E

E. coli, irradiation induced nuclear transformations in, 399
Electron microscopy, a set of collets for manipulating the Siemens specimen holder, 541
— microscopy, measurement of mass, thickness, and density by, 1
— microscopy, simultaneous dirt-free lead staining of several grids of thin sections, 834
Electrophoretic analysis, microphoresis, technique for purine-pyrimidine analysis of RNA, 39, 44
— analysis of colored product produced by Schiff-formaldehyde reaction, 286
Endoplasmic reticulum, form and differentiation in pigment epithelial cells of frog retina, 181
— reticulum in living cells, phase contrast observations of, 423
Enzyme activities in rat brain, localization of, 649
Epidermal melanocytes and fine structure of melanin granules, in cat and man, 165
Erythrocytes, human, total dry mass of, determined by interference microscopy and x-ray microradiography, 53
Excretory epithelia of an insect, cellular specialization in, 103
Eye, frog retina, form and differentiation of endoplasmic reticulum in pigment epithelial cells of, 181
—, of rat, optic nerve, effects of dehydrations on, 31
—, parietal of lizards, fine structure, 483

F

Fat, rat epididymal adipose tissue, metabolic and ultrastructural changes induced in by insulin, 83
Fertilization, and early embryonic development, in pulmonate snail, changes in nuclear histones during, 69
Fibrillar structure of fungal cell walls, 247
Fixation, permanganate, of Golgi complex and other cytoplasmic structures of mammalian testis, 761
Fractions, isolation of cell membranes from rat liver, 413
Fungus, *Allomyces*, fibrillar structure of cell walls of, 247
—, *Streptomyces coelicolor*, chromatinic bodies of, 257
—, *Streptomyces coelicolor*, nuclear material, 267

G

Ganglion cells, spinal, ultracentrifuged, fine structure of, 793
Glycogen, demonstrated in hepatic cell by electron microscopy, 553
—, identification of in electron micrographs of thin tissue sections, 575
Golgi bodies and other cytoplasmic structures of mammalian testis, permanganate fixation of, 761
— bodies, reticular derivative from, in meristem of *Anthoceros*, 221

H

Heart, in toad, relationship of desmosomes and intercalated disc, 305
Histones, nuclear, changes during fertilization and early embryonic development, in *Helix aspersa*, 69

I

Inclusion, crystalloid, in blastocyst, in rabbit, 836
Induction and transformations in *E. coli* (lysogenic and non-lysogenic) under influence of ultraviolet and x-rays, 399
Insulin, used to induce metabolic and ultrastructural changes in adipose tissue, 83
Interference microscopy, and x-ray microradiography, to determine total dry mass of human erythrocytes, 53

K

Kidney cells, monkey, infected with ECHO 19 virus, 291
—, proximal convoluted tubule, absorption of hemoglobin by cells of, 689
—, rat, relationship of mitochondria to absorption droplets in, 279
Kinetonucleus (kinetoplast) of trypanosomid, mitochondria associated with, 542

L

Lamellae, annulate, of immature amphibian oocytes, 558
Lamellar system in chloroplasts, in *Zea mays*, effect of low temperature on development of, 529
Liver cell, in rat, demonstration of glycogen in, by electron microscopy, 553
Lyophilized cells, electron microscope observations of, 617

M

Malpighian tubules, in leafhopper, cellular specialization in, 103
Measurement of mass, thickness, and density in the EM, 1
Melanin granules and melanocytes in mammalian epidermis, studied in EM, 165
Membrane, cytoplasmic, participation in growth and spore formation of bacilli, 507
Microelectrophoresis, a constant humidity chamber for, 44
Microsomes, in rat liver, relationship of RNase activity to biological activity, 665
Mitochondria associated with kinetonucleus of *Trypanosoma mega*, 542
— of neuroglia in lizard brain, regular organization of material in, 282
—, relationship to egg white absorption droplets in rat kidney, 279
Mitochondrial variations, antigenic relationships

between cytoplasmic organelles and evidence for, 591
Mitosis, in amebae, *Amoeba proteus*, studied in EM, 207
—, sea urchin, sulfhydryl groups during, 603, 609
Muscle, cardiac, in toad, structure of desmosomes and relationship to the intercalated disc, 305
— cells in culture, dissociability of DNA synthesis from development of multinuclearity in, 333
— cells, striated, of thoracic and lung veins in the mouse, 135
— of flight, innervation of, in beetle, *Tenebrio molitor*, 447
Myelin, of peripheral and optic nerve, effects of dehydration on, 13, 31
— sheaths in CNS, formation and structure of, in optic nerve of rat and tadpole, 431

N

Nerve, CNS of mouse, virus crystals in following rodent polioencephalitis infection, 825
— fibers, and Meissner's touch corpuscles in human fingers, 467
— myelin, effects of dehydration on, studied with x-ray diffraction and electron microscopy, 13, 31
—, optic, myelin sheaths, formation and structure of, in rat and tadpole, 431
—, spinal ganglion cells, ultracentrifuged, fine structure of, 793
Neuromuscular junctions and peripheral nerves in flight muscle of an insect (*Tenebrio molitor*), 447
Nuclear envelope, observations on, in maize root meristem cells, 233
—material, in *Streptomyces coelicolor*, fine structure, 267
—material of blue-green alga, fine structure of, 813
—morphology, multinuclearity, in cultured chick embryo muscle cells, not inhibited by suppression of DNA synthesis, 333
—transformations induced in *E. coli* K12S and K12S(λ_{26}) by ultraviolet and x-rays, studied in EM, 399
Nuclear-cytoplasmic relationships, considered on basis of observations on nuclear envelope in maize root meristem cells, 233
Nuclei, diploid and polyploid sex chromatin and heterochromatic bodies in, man, 345

O

Oocytes, immature amphibian, annulate lamellae of, 558
—, in *Drosophila melanogaster, in vitro* incorporation of uridine-H^3 into, 550
—, spider *Tegenaria domestica*, composition of RNA from various parts of, 47

P

Pancreas, mouse, thin sections, staining of when prepared by helium II freeze-substitution, 639
Pectin, stained and observed in electron microscope, 501
Phase contrast microscopy, used for continuous observation of cell organelles under ultraviolet irradiation, 777
Pigment epithelium of frog retina, form and differentiation of endoplasmic reticulum in, 181
Pinocytosis in amebae, surface attachment phase, 675
— in *Amoeba proteus*, uptake of fluorescent albumin by, 288
—, occurrence of, and existence of a cytostome, in *Trypanosoma mega*, 563
Plants. See Animals and Plants.
Proteins, histochemical method for distinguishing side-chain from terminal carboxyl groups of, 319

R

Radioactive labels, C^{14}-adenine-8 and $P^{32}O$, incorporation and retention of, by nucleolar, chromosomal, and cytoplasmic RNA, 365
— labels, tritium, incorporation into individual cells, 327
— labels, tritium-uridine, *in vitro* incorporation of, in developing oocytes of *Drosophila melanogaster*, 550
Reticular derivative from Golgi bodies in meristem of *Anthoceros*, 221
RNA, composition of, from various parts of spider oocytes (microelectrophoretic analysis), 47
—, from microscopic tissue units, extraction, hydrolysis, and electrophoretic analysis of, 39
—, nucleolar, chromosomal, and cytoplasmic, in *Drosophila* salivary glands, metabolic characteristics of, 365
RNases, intracellular, relationship of activity of rat liver microsomes to biological activity, 665

S

Schiff-aldehyde reaction, multiple components of colored product, electrophoretic analysis of, 286
Spore formation of bacilli, role of cytoplasmic membrane in, 507
Staining of thin sections of pancreas prepared by helium II freeze-substitution method, 639
Sulfhydryl groups during cell division, changes in and mass isolation of egg cortex, 603
— groups during cell division, —SH groups of KCl-soluble proteins and changes during cleavage, 609

T

Thin sections of mouse pancreas prepared by Fernández-Morán NMN helium II freeze-substitution, staining of, 639
— sections of tissues, electron micrographs of, identification of glycogen in, 575
Tumor virus, polyoma, fine structure of, 828

V

Virus crystals, intracellular, in CNS of mouse following rodent polioencephalitis infection, 825
— infection (ECHO 19) in monkey kidney cells, studied in EM, 291
—, polyoma, fine structure of, 828

X

X-ray diffraction, and electron microscopy, used to study effects of dehydration on nerve myelin structure, 13, 31
— microradiography, and interference microscopy, to determine total dry mass of human erythrocytes, 53